## IT Mount - Universal VESA mount SKU: SMP01

**Assembly Instructions** 




DENTIFY THE FIXING AREA, AND CLEAN WITH ALCOHOL PADS PROVIDED


\*\*PEEL COVER TO EXPOSE ADHESIVE PAD\*\*

\*\*PEEL COVER TO EXPOSE ADHESIVE P


3 4 5



ACHIEVES FULL STRENGTH
AFTER 12 HOURS




REMOVE MOUNT FROM DEVICE BY REMOVING M4 PIN TORX SCREWS USING PROVIDED T-15 SCREWDRIVER




INSTALL MOUNT ON
ANY 100mm VESA COMPATIBLE STAND OR ARM
USING PROVIDED M4x10mm PHILLIPS PAN HEAD SCREWS




6






USING PROVIDED T-15 SCREWDRIVER




8



IT MOUNT CAN FIX TO ANY LAPTOP OR TABLET

IT MOUNT IS COMPATIBLE WITH ANY 100mm VESA STAND, ARM OR MOUNT






## Compatible With All Compulocks' Stands









## **Assembly Instructions**






D - #8-16 x 1/2" Pan Head Phillips Self Threading Screw.




B - 1/4"-20 x 1-3/4" Pan Head Phillips Machine Screw.




C - 1/4"-20 x 3-3/4" Pan Head Phillips Machine Screw.


4




D - #8-16 x 1/2" Pan Head Phillips Self Threading Screw.




B - 1/4"-20 x 1-3/4" Pan Head Phillips Machine Screw.



B - 1/4"-20 x 3-3/4" Pan Head Phillips Machine Screw.




Installation of Recommended C7 Power Cord to iPad USB 30 Pin Power Adapter.



Installation of Optional iPad security Combination / Key Cable Locks.

8



Installation of Optional iPad Enclosure

Shown. Use the M4 x 8mm Screws.